



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Cerebro-spinal meningitis.	Cholera.	Diphtheria.	Plague.	Poliomyelitis.	Scarlet fever.	Smallpox.	Tuberculosis.	Typhoid fever.	Typhus fever.	Yellow fever.
Patras.....	Sept. 7	40,000	10								1	2		
Penang.....	Aug. 17	102,167	59								11	2		
Rangoon.....	Aug. 3	293,316	237		1		38							
Do.....	Aug. 10		249				37							
Do.....	Aug. 17		240		1		40							
Saigon.....	Aug. 5	250,000	57		53		4							
Do.....	Aug. 12		42		31		9			2				
Salina Cruz.....	Sept. 14	6,000	7							1	1			
Sault Ste. Marie.....	Sept. 21	12,500	5			1								
Singapore.....	Aug. 10	303,328	232								33	1		
Smyrna.....	July 6	200,000	114								12	2		
Do.....	July 13		123								7	2		
Do.....	July 20		136								11	2		
Do.....	July 27		143								6	1		
Do.....	Aug. 3		154								10	1		
Do.....	Aug. 10		163								7	2		
Do.....	Aug. 17		174								11			
Do.....	Aug. 24		186								11	1		
Do.....	Aug. 31		196								10			
Stettin.....	do.....	240,000	68						1	5			1	
Stockholm.....	do.....	346,599	72						1	12				
Stoke.....	Sept. 7	237,153	55			1			1	3				
Tarragona.....	do.....	23,150	6									1		
Toronto.....	Sept. 14	392,000	139			2			1	7	4			
Trieste.....	Aug. 31	235,999	97								1			
Toronto.....	Sept. 21	392,000	105								5	1		
Tripoli.....	Sept. 8	50,000	26								3			
Turin.....	do.....	430,770	145								15	13		
Valencia.....	Sept. 7	235,000	72								6	1		
Vancouver.....	do.....	110,000									2	2		
Do.....	Sept. 14										2	1		
Veracruz.....	do.....	32,000	41								2			
Vienna.....	Aug. 24	2,081,335	519			3			1	97				
Do.....	Aug. 31		503			5			1	95		1		
West Hartlepool.....	Sept. 11	63,932	14									1		
Winnipeg.....	Sept. 21	166,533	44									3		
Yokohama.....	Aug. 26	444,039									4	3		
Do.....	Sept. 2											1		

MORTALITY FOREIGN AND INSULAR COUNTRIES AND CITIES  
(Untabulated).

**ARGENTINA**—*Buenos Aires*.—Month of June, 1912. Population, 1,381,318. Total number of deaths from all causes 1,790, including diphtheria 17, measles 7, scarlet fever 2, smallpox 1, tuberculosis 185, typhoid fever 51.

**AUSTRALIA**—*Newcastle*.—Month of July, 1912. Population, 56,000. Total number of deaths from all causes 60. No deaths from contagious diseases.

**BRAZIL**—*Ceara*.—Month of July, 1912. Population, 60,000. Total number of deaths from all causes 127, including tuberculosis 17, typhoid fever 7, yellow fever 1.

*Pernambuco*.—Month of June, 1912. Population, 225,000. Total number of deaths from all causes 634, including smallpox 35, tuberculosis 118, typhoid fever 1, yellow fever 3.

Two weeks ended July 15, 1912. Total number of deaths not reported. The deaths include tuberculosis 62, yellow fever  $\frac{1}{2}$ , smallpox 19.

Two weeks ended July 31, 1912. Total number of deaths from all causes 281. The deaths include tuberculosis 53, smallpox 21.

Two weeks ended August 15, 1912. Total number of deaths from all causes 281, including measles 1, smallpox, 28, tuberculosis 49.

GREAT BRITAIN.—Week ended August 24, 1912.

*England and Wales.*—The deaths registered in 95 great towns correspond to an annual rate of 11.4 per 1,000 of the population, which is estimated at 17,639,881.

*Ireland.*—The deaths registered in 21 principal town districts correspond to an annual rate of 14.8 per 1,000 of the population, which is estimated at 1,154,150. The lowest rate was recorded at Drogheda and Lisburn, viz, 4.2, and the highest at Kilkenny, viz, 34.7 per 1,000.

*Scotland.*—The deaths registered in 18 principal towns correspond to an annual rate of 11.8 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate was recorded at Partick, viz, 3.8, and the highest at Dundee, viz, 18.9 per 1,000. The total number of deaths from all causes was 493, including diphtheria 5, measles 4.

ITALY—*Florence.*—Month of July, 1912. Population, 239,295. Total number of deaths from all causes 378, including diphtheria 2, measles 10, scarlet fever 1, tuberculosis 49, typhoid fever 7.

MEXICO—*Puerto Mexico.*—Month of August, 1912. Population, 5,000. Total number of deaths from all causes 31, including smallpox 1, tuberculosis 2.

By authority of the Secretary of the Treasury:

RUPERT BLUE,  
Surgeon General,  
United States Public Health Service.

---

ADDITIONAL COPIES of this publication  
may be procured from the SUPERINTEND-  
ENT OF DOCUMENTS, Government Printing  
Office, Washington, D. C., at 5 cents per copy  
Subscription price, per year - - - - \$2

---

